

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

Corteva Agriscience™ encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container. This Safety Data Sheet adheres to the standards and regulatory requirements of South Africa and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GF-120 NF

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Insecticide

1.3 Details of the supplier of the safety data sheet

COMPANY IDENTIFICATION

Manufacturer/importer

Corteva Agriscience RSA Proprietary Limited
Block A, 2nd Floor, Lakefield Office Park, 272 West Avenue
Centurion, Gauteng, 1063
SOUTH AFRICA

Customer Information : +27 (0) 12 683 5700

Number

E-mail address : SDS@corteva.com

1.4 Emergency telephone number

24-Hour Local Emergency Contact: +27 82 895 0621

24-Hour Emergency Contact: +32 3 575 55 55

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 Label elements

Not a hazardous substance or mixture.

Supplemental Hazard : EUH401 To avoid risks to human health and the envi-
Statements : ronment, comply with the instructions for use.

GF-120 NF

Version 0.0 Revision Date: 31.05.2023 SDS Number: 800080003808 Date of last issue: -
Date of first issue: 31.05.2023

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50)	168316-95-8 434-300-1 603-209-00-0	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	0,02

For explanation of abbreviations see section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

- Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal protective equipment.
- If inhaled : Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.
- In case of skin contact : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Suitable emergency safety shower facility should be available in work area.
- In case of eye contact : Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
Suitable emergency eye wash facility should be available in work area.

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

If swallowed : No emergency medical treatment necessary.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No specific antidote.
Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.
Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating.
Combustion products may include and are not limited to:
Carbon oxides
Nitrogen oxides (NO_x)

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped,
Recovered material should be stored in a vented container.
The vent must prevent the ingress of water as further reaction with spilled materials can take place which could lead to over-pressurization of the container.
Keep in suitable, closed containers for disposal.
Wipe up with absorbent material (e.g. cloth, fleece).
See Section 13, Disposal Considerations, for additional information.

6.4 Reference to other sections

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : Do not breathe vapours/dust.
Handle in accordance with good industrial hygiene and safety practice.
Smoking, eating and drinking should be prohibited in the application area.
Take care to prevent spills, waste and minimize release to the environment.
Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in a closed container. Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store near acids.
Strong oxidizing agents

SAFETY DATA SHEET



GF-120 NF

Version 0.0 Revision Date: 31.05.2023 SDS Number: 800080003808 Date of last issue: -
 Date of first issue: 31.05.2023

Packaging material : Unsuitable material: None known.

7.3 Specific end use(s)

Specific use(s) : Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Propylene glycol	Workers	Skin contact	Acute systemic effects	
	Remarks:No data available			
	Workers	Inhalation	Acute systemic effects	
	Remarks:No data available			
	Workers	Skin contact	Acute local effects	
	Remarks:No data available			
	Workers	Inhalation	Acute local effects	
	Remarks:No data available			
	Workers	Skin contact	Long-term systemic effects	
	Remarks:No data available			
	Workers	Inhalation	Long-term systemic effects	168 mg/m3
	Workers	Skin contact	Long-term local effects	
	Remarks:No data available			
	Workers	Inhalation	Long-term local effects	10 mg/m3
	Consumers	Skin contact	Acute systemic effects	
	Remarks:No data available			
	Consumers	Inhalation	Acute systemic effects	
	Remarks:No data available			
	Consumers	Skin contact	Acute local effects	
	Remarks:No data available			
	Consumers	Inhalation	Acute local effects	
	Remarks:No data available			
	Consumers	Skin contact	Long-term systemic effects	
	Remarks:No data available			
	Consumers	Inhalation	Long-term systemic effects	50 mg/m3
	Consumers	Skin contact	Long-term local effects	
	Remarks:No data available			
	Consumers	Inhalation	Long-term local effects	10 mg/m3

SAFETY DATA SHEET



GF-120 NF

Version 0.0 Revision Date: 31.05.2023 SDS Number: 800080003808 Date of last issue: -
 Date of first issue: 31.05.2023

			fects	
Ammonium acetate	Workers	Inhalation	Long-term systemic effects	911,56 mg/m ³
	Workers	Inhalation	Acute systemic effects	5469,35 mg/m ³
	Workers	Skin contact	Long-term systemic effects	10,34 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	62,04 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	449,56 mg/m ³
	Consumers	Inhalation	Acute systemic effects	2674,16 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	5,17 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	31,02 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	5,17 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	31,02 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propylene glycol	Fresh water	260 mg/l
	Marine water	26 mg/l
	Intermittent use/release	183 mg/l
	Sewage treatment plant	20000 mg/l
	Fresh water sediment	572 mg/kg dry weight (d.w.)
	Marine sediment	57,2 mg/kg dry weight (d.w.)
	Soil	50 mg/kg dry weight (d.w.)
Ammonium acetate	Fresh water	3,08 mg/l
	Marine water	0,308 mg/l
	Sewage treatment plant	677 mg/l
	Fresh water sediment	2,51 mg/kg
	Marine sediment	0,251 mg/kg
	Soil	0,72 mg/kg

8.2 Exposure controls

Engineering measures

Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

Personal protective equipment

Eye/face protection : Use chemical goggles.
 Chemical goggles should be consistent with EN 166 or equivalent.

Hand protection

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

- Remarks : Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.
- Skin and body protection : Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.
- Respiratory protection : Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator.

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties

Appearance	: Liquid.
Colour	: Brown
Odour	: Acidic
Odour Threshold	: No data available
pH	: 4,7

SAFETY DATA SHEET



GF-120 NF

Version 0.0 Revision Date: 31.05.2023 SDS Number: 800080003808 Date of last issue: -
Date of first issue: 31.05.2023

Concentration: 100 %
Method: pH Electrode
(neat)

Melting point/range : Not applicable

Freezing point : No data available

Boiling point/boiling range : No data available

Flash point : > 100 °C
Method: closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable to liquids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1,2 g/cm³ (20 °C)

Solubility(ies)
Water solubility : Soluble

Auto-ignition temperature : No data available

Viscosity
Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

No decomposition if stored and applied as directed.
Stable under normal conditions.

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No hazards to be specially mentioned.
None known.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong oxidizing agents
Strong acids
Strong bases

10.6 Hazardous decomposition products

Decomposition products depend upon temperature, air supply and the presence of other materials.

Decomposition products can include and are not limited to:

Carbon oxides

Nitrogen oxides (NO_x)

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, female): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,18 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Symptoms: No deaths occurred at this concentration.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 5,18 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

GF-120 NF

Version Revision Date: SDS Number: Date of last issue: -
0.0 31.05.2023 800080003808 Date of first issue: 31.05.2023

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation**Product:**

Species : Rabbit
Result : No skin irritation

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation**Product:**

Species : Rabbit
Result : No eye irritation

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Product:**

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Species : Guinea pig
Assessment : Does not cause skin sensitisation.

Germ cell mutagenicity**Components:****spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Germ cell mutagenicity- Assessment : In vitro genetic toxicity studies were negative., Animal genetic toxicity studies were negative.

GF-120 NF

Version Revision Date: SDS Number: Date of last issue: -
0.0 31.05.2023 800080003808 Date of first issue: 31.05.2023

Carcinogenicity**Components:****spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Carcinogenicity - Assessment : Did not cause cancer in laboratory animals.

Reproductive toxicity**Components:****spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Reproductive toxicity - Assessment : In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.
Did not cause birth defects or other effects in the fetus even at doses which caused toxic effects in the mother.

STOT - single exposure**Product:**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Assessment : Evaluation of available data suggests that this material is not an STOT-SE toxicant.

STOT - repeated exposure**Product:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Remarks : In animals, Spinosad has been shown to cause vacuolization of cells in various tissues.
Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

Aspiration toxicity**Product:**

Based on available information, aspiration hazard could not be determined.

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Based on available information, aspiration hazard could not be determined.

SECTION 12: Ecological information**12.1 Toxicity****Components:****spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 4 g/L Exposure time: 96 h Method: OECD Test Guideline 203 or Equivalent LC50 (Rainbow trout (Oncorhynchus mykiss)): 27 mg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 5,9 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 or Equivalent EC50 (Chironomus sp. (midge)): 0,014 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EbC50 (diatom Navicula sp.): 0,107 mg/l End point: Biomass Exposure time: 5 d EbC50 (Pseudokirchneriella subcapitata (green algae)): 39 mg/l Exposure time: 7 d EC50 (Lemna gibba): 10,6 mg/l Exposure time: 14 d EC50 (blue-green alga Anabaena flos-aquae): 6,1 mg/l Exposure time: 120 h
M-Factor (Acute aquatic toxicity)	:	10

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

Toxicity to microorganisms : (Bacteria): > 100 mg/l

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to soil dwelling organisms : LC50: > 970 mg/kg
Exposure time: 14 d
Species: Eisenia fetida (earthworms)

Toxicity to terrestrial organisms : dietary LC50: > 5156 mg/kg diet.
Exposure time: 5 d
Species: Anas platyrhynchos (Mallard duck)

oral LD50: > 2000 mg/kg bodyweight.
Species: Colinus virginianus (Bobwhite quail)

dietary LC50: > 5253 mg/kg diet.
Exposure time: 5 d
Species: Colinus virginianus (Bobwhite quail)

oral LD50: 0,06 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

contact LD50: 0,05 micrograms/bee
Exposure time: 48 h
Species: Apis mellifera (bees)

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

12.2 Persistence and degradability**Components:****spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B or Equivalent
Remarks: 10-day Window: Fail

Stability in water : Test Type: Hydrolysis
pH: 5
Method: Stable

Test Type: Hydrolysis
pH: 7
Method: Stable

Test Type: Hydrolysis
Degradation half life (half-life): 200 - 259 d (25 °C)

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

pH: 9

Test Type: Hydrolysis

Degradation half life (half-life): 0,84 - 0,96 d

pH: 7

12.3 Bioaccumulative potential

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 114
Remarks: For similar active ingredient(s).
Spinosyn A.

Partition coefficient: n-octanol/water : log Pow: 4,01
Remarks: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

12.4 Mobility in soil

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Distribution among environmental compartments : Koc: 35024
Remarks: For similar material(s):
Spinosyn A.
Expected to be relatively immobile in soil (Koc > 5000).

Stability in soil : Dissipation time: 8,68 - 9,44 d
Method: Photolysis

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB).

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

12.6 Other adverse effects**Product:**

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Components:**spinosad (ISO) (reaction mass of spinosyn A and spinosyn D in ratios between 95:5 to 50:50):**

Ozone-Depletion Potential : Remarks: This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product : If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.
If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

SECTION 14: Transport information**14.1 UN number**

UNRTDG : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

UNRTDG : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

UNRTDG : Not regulated as a dangerous good

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

UNRTDG : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	Not applicable
---	----------------

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance when it is used in the specified applications.

The mixture is evaluated within the frame of the provisions of Regulation (EC) No. 1107/2009. Refer to the label for exposure assessment information.

SECTION 16: Other information**Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Classification was done in accordance with UN Globally Harmonized System of Classification and Labelling of Chemicals (GHS) Purple Book and complies with the Regulations for Hazardous Chemical Agents, 2021.

Full text of H-Statements

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

GF-120 NF

Version	Revision Date:	SDS Number:	Date of last issue: -
0.0	31.05.2023	800080003808	Date of first issue: 31.05.2023

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECl - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Product code: GF-1111

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZA / 6N