



















SOYBEAN SPRAY CALENDAR

	TARGET	PRODUCT	DOSAGE	ACTIVE	WHEN TO SPRAY	NOTES
HERBICIDES	 Broadleaf weeds and grasses	 Strongarm® 840 WG HERBICIDE	10 - 30 g/Ha	Diclosulam		Pre-emergence application (Clay percent dependant). Combination of Strongarm® and Metagan Gold is recommended for the control of many annual grasses and annual broadleaf weeds.
	 Broadleaf weeds and grasses	 Broadstrike® 800 WG HERBICIDE	18 - 42 g/Ha	Flumetsulam		Pre-emergence (Clay percent dependant).
	 Broadleaf weeds	 Classic® HERBICIDE	35 g/Ha	Chlorimuron ethyl		For post emergence control of broadleaf weeds.
	 Annual and perennial grasses	 Gallant® SUPER HERBICIDE	0,5 - 1 L/Ha	Haloxypop-R-Methyl Ester		For post emergence control of annual and perennial grasses.
FUNGICIDES	 Soybean rust/ Asian rust (<i>Phakospora pachyrhizi</i>)	 Acanto® PLUS 280 SC FUNGICIDE	300 ml/Ha	Picoxystrobin + cyproconazole		Apply a single application at the onset of flowering, or at the very first signs of diseases.
	 Stemrot (<i>Sclerotinia sclerotiorum</i>)	 Hit® 500 SC FUNGICIDE	750 ml/Ha	Procymidone		First application at the onset of flowering and two sprays to follow at 10 day intervals.

*Always refer to the label - This document does not replace the product label

*Always contact your local agrochemical agent to find out more about sensitive cultivars with regards to SureStart® Herbicide

ALWAYS USE ACCORDING TO LABEL RECOMMENDATIONS: Acanto® PLUS 280 SC contains picoxystrobin and cyproconazole (Caution) | Reg. No. L9149 | Act No. 36 of 1947 • Broadstrike® 800 WG contains flumetsulam (Caution) | Reg. No. L6180 | Act No. 36 of 1947 • Classic® contains chlorimuron ethyl (Caution) | Reg. No. L 4164 | Act No. 36 of 1947 • Gallant® SUPER contains Haloxypop-R Methyl Ester (Caution) | Reg. No. L4962 | Act No. 36 of 1947 • Hit® 500 SC contains procymidone (Caution) | Reg. No. L7575 | Act No. 36 of 1947 • Strongarm® 840 WG contains diclosulam (Caution) | Reg. No. L8663 | Act No. 36 of 1947 • SureStart® contains acetochlor, clopyralid, flumetsulam and fufuroxym (Safener) (Caution) | Reg. No. L10385 | Act No. 36 of 1947. * ® Trademarks of Corteva Agriscience and its affiliated companies. © 2021 Corteva.

