

VYDATE® 100 GRRef. 130000000049
Version 5.1 (replaces: Version 5.0)Revision Date 20.06.2018
Issue Date 04.03.2019

This Safety Data Sheet adheres to the standards and regulatory requirements of the European Union and may not meet the regulatory requirements in other countries.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**Product name : VYDATE® 100 GR
Synonyms : B10049174
DPX-D1410 10 G**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the Substance/Mixture : Insecticide

1.3. Details of the supplier of the safety data sheetCompany : DuPont de Nemours South Africa (Pty) Ltd
34 Whiteley Road
Block B, 1st Floor
Melrose Arch
South Africa

Telephone : +27 (0) 11 218 8600

Telefax : +27 (0) 11 218 8664

E-mail address : SDS@Corteva.com

1.4. Emergency telephone numberEmergency telephone number : 0-800-983-611 (Toll free in-country) or +(44)-870-8200418 (CHEMTREC)
: +27 (0) 83 123 3911
: Poison Centres may only possess information required for products in accordance with Regulation (EC) No 1272/2008 and national legislation.**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EU) 1272/2008 (CLP)**Acute toxicity, Category 2 : H300: Fatal if swallowed.
Acute toxicity, Category 3 : H331: Toxic if inhaled.
Long-term (chronic) aquatic hazard, Category 3 : H412: Harmful to aquatic life with long lasting effects.**2.2. Label elements****Labelling according to Regulation (EU) 1272/2008 (CLP)**

|| Danger


VYDATE® 100 GR

 Ref. 130000000049
 Version 5.1 (replaces: Version 5.0)

 Revision Date 20.06.2018
 Issue Date 04.03.2019

H300 H331 H412	Fatal if swallowed. Toxic if inhaled. Harmful to aquatic life with long lasting effects.
Special labelling of certain substances and mixtures	EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
P261 P264 P270 P280 P301 + P310 P304 + P340 P321 P330 P403 + P233 P501	Avoid breathing dust. Wash your hands thoroughly and the face with soap and water afterwards use Do not eat, drink or smoke when using this product. Wear protective gloves/ protective clothing/ eye protection/ face protection. IF SWALLOWED: Immediately call a POISON CENTER/doctor. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Specific treatment (see supplemental first aid instructions on this label). Rinse mouth. Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Labelling according to EU Directives 67/548/EEC or 1999/45/EC

SP 1 Do not contaminate water with the product or its container (Do not clean application equipment near surface water/Avoid contamination via drains from farmyards and roads).

2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).
 This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).
 Restricted to professional users.

SECTION 3: Composition/information on ingredients
3.1. Substances

Not applicable

3.2. Mixtures

Classification according to Directive 67/548/EEC	Classification according to Regulation (EU) 1272/2008 (CLP)	Concentration
Oxamyl (CAS-No.23135-22-0) (EC-No.245-445-3)		
T+;R26/28 Xn;R21 N;R50/53 R67	Acute Tox. 1; H300 Acute Tox. 2; H330 Acute Tox. 4; H312 STOT SE 3; H336 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	10 %

Cyclohexanone (CAS-No.108-94-1) (EC-No.203-631-1)

**VYDATE® 100 GR**

Ref. 130000000049
Version 5.1 (replaces: Version 5.0)

Revision Date 20.06.2018
Issue Date 04.03.2019

R10 Xn;R20/21/22 Xi;R41 R37/38	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 5 - < 10 %
---	---	---------------

Phosphoric acid (CAS-No.7664-38-2) (EC-No.231-633-2)

C;R34 Xn;R22	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 1 - < 5 %
-----------------	---	--------------

For the full text of the R-phrases mentioned in this Section, see Section 16.
For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

- General advice : Call a physician or poison control centre immediately. If breathing is irregular or stopped, administer artificial respiration. Never give anything by mouth to an unconscious person.
- : Contains an N-methyl carbamate that inhibits cholinesterase. This product contains an anticholinesterase compound. Do not use if under medical advice not to work with such compounds.
- Inhalation : Move to fresh air. Consult a physician after significant exposure. Artificial respiration and/or oxygen may be necessary.
- Skin contact : Take off contaminated clothing and shoes immediately. Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a physician. If after contact with the skin signs of poisoning appear, call a physician or poison control centre immediately.
- Eye contact : If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and gently with water for 15-20 minutes. Get medical advice/ attention.
- Ingestion : Call a physician or poison control centre immediately. If victim is conscious: If swallowed, drink 1 or 2 glasses of water and try once or twice to induce vomiting by touching the back of throat with finger. Rinse mouth with water.

4.2. Most important symptoms and effects, both acute and delayed

- Risks : Allow no further exposure to any cholinesterase inhibitor until full recovery is assured.
- Symptoms : Poisoning produces effects associated with anticholinesterase activity which may include:
- : Weakness, Blurred vision, Breathing difficulties, Nausea, Headache, Abdominal pain, discomfort in the chest, constriction of pupils, slow pulse, sweating, muscle twitching

VYDATE® 100 GRRef. 130000000049
Version 5.1 (replaces: Version 5.0)Revision Date 20.06.2018
Issue Date 04.03.2019**4.3. Indication of any immediate medical attention and special treatment needed**

- Treatment : Administer atropine sulphate as an antidote until complete atropinisation (1.2-2.0 mg i.v. every 10-30 minutes). 2-PAM may be used as an antidote in conjunction with atropine sulphate but must not be used alone. Allow no further exposure to any cholinesterase inhibitor until full recovery is assured.
- : Contraindication: Oximes (pralidoxime), succinylcholine and other cholinergic agents, respiratory stimulants and physostigmine. Morphine therapy is contraindicated.

SECTION 5: Firefighting measures**5.1. Extinguishing media**Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO₂)

Extinguishing media which shall not be used for safety reasons : High volume water jet, (contamination risk)

5.2. Special hazards arising from the substance or mixtureSpecific hazards during firefighting : Hazardous decomposition products formed under fire conditions. Carbon dioxide (CO₂) Nitrogen oxides (NO_x)**5.3. Advice for firefighters**

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

: (on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions : Evacuate personnel to safe areas. Control access to area. Avoid dust formation. Keep people away from and upwind of spill/leak. Ventilate spill area. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothing. Use personal protective equipment. Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.

6.2. Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so. Use appropriate container to



VYDATE® 100 GR

Ref. 130000000049
Version 5.1 (replaces: Version 5.0)

Revision Date 20.06.2018
Issue Date 04.03.2019

avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal. If the product contaminates rivers and lakes or drains inform respective authorities.

6.3. Methods and materials for containment and cleaning up

- Methods for cleaning up : Clean-up methods - small spillage Sweep up or vacuum up spillage and collect in suitable container for disposal.
Clean-up methods - large spillage Avoid dust formation. Knock down dust with water spray jet. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).
- Other information : Never return spills in original containers for re-use. Dispose of in accordance with local regulations.

6.4. Reference to other sections

For personal protection see section 8., For disposal instructions see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Advice on safe handling : Use only in an area equipped with a safety shower. Use only according to our recommendations.
Wear personal protective equipment. Use only clean equipment. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust or spray mist. Use prepared working solution as soon as possible - Do not store. In case of insufficient ventilation, wear suitable respiratory equipment. Prepare the working solution as given on the label(s) and/or the user instructions. Avoid exceeding the given occupational exposure limits (see section 8). For personal protection see section 8.
- Advice on protection against fire and explosion : Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.

7.2. Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep locked up or in an area accessible only to qualified or authorised persons. Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labelled containers. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.
- Advice on common storage : No special restrictions on storage with other products.
- Other data : Stable under recommended storage conditions.

7.3. Specific end use(s)



VYDATE® 100 GR

Ref. 130000000049
Version 5.1 (replaces: Version 5.0)

Revision Date 20.06.2018
Issue Date 04.03.2019

Plant protection products subject to Regulation (EC) No 1107/2009.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

If sub-section is empty then no values are applicable.

Components with workplace control parameters

Type Form of exposure	Control parameters (Expressed as)	Update	Regulatory basis	Remarks
--------------------------	---	--------	------------------	---------

Quartz (CAS-No. 14808-60-7)

Time Weighted Average (TWA): Respirable dust.	0,4 mg/m ³	1995	South Africa. Control Limits. Regulations for Hazardous Chemical Substances, Table 1	
Time Weighted Average (TWA): Respirable dust.	0,4 mg/m ³	1995	South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2	

Cyclohexanone (CAS-No. 108-94-1)

Skin designation:		12 2009	EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU	Can be absorbed through skin.
Time Weighted Average (TWA):	40,8 mg/m ³ 10 ppm	12 2009	EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU	Indicative
Short term exposure limit	81,6 mg/m ³ 20 ppm	12 2009	EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU	Indicative
Short term exposure limit	400 mg/m ³ 100 ppm	1995	South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2	
Time Weighted Average (TWA):	100 mg/m ³ 25 ppm	1995	South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2	

Phosphoric acid (CAS-No. 7664-38-2)

Short term exposure limit	2 mg/m ³	12 2009	EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU	Indicative
Time Weighted Average (TWA):	1 mg/m ³	12 2009	EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU	Indicative
Short term exposure limit	3 mg/m ³	1995	South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2	
Time Weighted Average (TWA):	1 mg/m ³	1995	South Africa. Recommended Exposure Limits (RELs) Regulations for Hazardous Chemical Substances, Table 2	

8.2. Exposure controls

- Engineering measures : Ensure adequate ventilation, especially in confined areas. Use only in area provided with appropriate exhaust ventilation. Provide for appropriate exhaust ventilation and dust collection at machinery. Use sufficient ventilation to keep employee exposure below recommended limits.
- Eye protection : Safety glasses with side-shields conforming to EN166
- Hand protection : Material: Nitrile rubber
Glove thickness: 0,3 mm


VYDATE® 100 GR

Ref. 130000000049
Version 5.1 (replaces: Version 5.0)

Revision Date 20.06.2018
Issue Date 04.03.2019

Glove length: Standard glove type.

Protection index: Class 6

Wearing time: > 480 min

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves clean them with soap and water.

- Skin and body protection** : Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-2)
Mixer and loaders must wear: Full protective clothing Type 5 (EN 13982-2)
Rubber apron Rubber or plastic boots
Soil incorporation - outdoor Tractor / sprayer with hood: No personal body protection normally required. Tractor / sprayer without hood: Full protective clothing Type 5 (EN 13982-2)
Mechanical automatized spray application in closed tunnel: No personal body protection normally required.
To optimize the ergonomics it may be recommended to use cotton underwear when wearing some fabrics. Take advice from supplier.
Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use.
The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.
- Protective measures** : All Personal Protection Equipment should be checked before use to confirm it is compatible with the chemicals you are handling.
The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during application.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes and clothing. Avoid breathing dust or solution spray. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Dispose of rinse water in accordance with local and national regulations.
- Respiratory protection** : Manufacturing and processing work: Half mask with a particle filter FFP3 (EN149)
Mixer and loaders must wear: Half mask with vapour filter A3 (EN 141)
Soil incorporation - outdoor Tractor / sprayer with hood: No personal respiratory

VYDATE® 100 GR

 Ref. 130000000049
 Version 5.1 (replaces: Version 5.0)

 Revision Date 20.06.2018
 Issue Date 04.03.2019

protective equipment normally required. Tractor / sprayer without hood: Half mask with a particle filter P3 (EN 143).
 Mechanical automatized spray application in closed tunnel: No personal respiratory protective equipment normally required.

SECTION 9: Physical and chemical properties
9.1. Information on basic physical and chemical properties

Form	: granules
Colour	: blue green
Odour	: slight, solvent-like
Odour Threshold	: not determined
pH	: 6,8 at 100 g/l (24 °C)
Melting point/range	: Not available for this mixture.
Boiling point/boiling range	: Not applicable
Flash point	: Not applicable
Self-Accelerating decomposition temperature (SADT)	: no data available
Flammability (solid, gas)	: Does not sustain combustion.
Ignition temperature	: no data available
Thermal decomposition	: Not available for this mixture.
Oxidizing properties	: The product is not oxidizing.
Explosive properties	: no data available
Lower explosion limit/ Lower flammability limit	: Not available for this mixture.
Upper explosion limit/ upper flammability limit	: Not available for this mixture.
Vapour pressure	: Not available for this mixture.
Density	: no data available
Relative density	: Not available for this mixture.
Bulk density	: 720 kg/m ³
Water solubility	: 229 g/l at 25 °C

VYDATE® 100 GRRef. 130000000049
Version 5.1 (replaces: Version 5.0)Revision Date 20.06.2018
Issue Date 04.03.2019

Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: Not available for this mixture.
Solubility in other solvents	: no data available
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: no data available
Relative vapour density	: Not available for this mixture.
Evaporation rate	: Not available for this mixture.

9.2. Other information

No other data to be specially mentioned.

SECTION 10: Stability and reactivity

10.1. Reactivity	: No hazards to be specially mentioned.
10.2. Chemical stability	: The product is chemically stable under recommended conditions of storage, use and temperature.
10.3. Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use. Burning produces noxious and toxic fumes. No decomposition if stored and applied as directed.
10.4. Conditions to avoid	: Heating can release hazardous gases. Under severe dusting conditions, this material may form explosive mixtures in air.
10.5. Incompatible materials	: No materials to be especially mentioned.
10.6. Hazardous decomposition products	: No materials to be especially mentioned.

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

Acute oral toxicity

LD50 / Rat male : 43 mg/kg
Method: OECD Test Guideline 401
(Data on the product itself) Information source: Internal study report

LD50 / Rat female : 34 mg/kg
Method: OECD Test Guideline 401
(Data on the product itself) Information source: Internal study report

Acute inhalation toxicity

VYDATE® 100 GR

Ref. 130000000049
Version 5.1 (replaces: Version 5.0)

Revision Date 20.06.2018
Issue Date 04.03.2019

LC50 / 4 h Rat : 0,68 mg/l
Method: OECD Test Guideline 403
(Data on the product itself) Information source: Internal study report

Acute dermal toxicity

LD50 / Rabbit : > 5 000 mg/kg
Method: OECD Test Guideline 402
(Data on the product itself) Information source: Internal study report

Skin irritation

Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404
(Data on the product itself) Information source: Internal study report

Eye irritation

Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
(Data on the product itself) Information source: Internal study report

Respiratory or skin sensitisation

Guinea pig Modified Buehler Test
Result: Animal test did not cause sensitization by skin contact.
Method: OECD Test Guideline 406
(Data on the product itself) Information source: Internal study report

Repeated dose toxicity

- Oxamyl
Ingestion Rat
Exposure time: 24 Months
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., cholinesterase inhibition

Skin contact Rabbit
Exposure time: 21 d
Method: US EPA Test Guideline OPP 82-2
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification.

Oral - feed multiple species
Exposure time: 15 d
LOAEL: 0,75 mg/kg
Reduced body weight gain, cholinesterase inhibition, Information source: Internal study report
- Cyclohexanone
Ingestion Rat
Exposure time: 90 d
NOAEL: 143 mg/kg

VYDATE® 100 GR

Ref. 130000000049
Version 5.1 (replaces: Version 5.0)

Revision Date 20.06.2018
Issue Date 04.03.2019

LOAEL: 407 mg/kg
Method: OECD Test Guideline 408
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification., Adverse body weight effects, Information source: Data provided by an external source.

- Phosphoric acid
Ingestion Rat
Exposure time: 54 d
NOAEL: 250 mg/kg
Method: OECD Test Guideline 422
No toxicological effects warranting significant target organ toxicity classification were seen below the recommended guidance values for classification.

Mutagenicity assessment

- Oxamyl
Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Cyclohexanone
Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
- Phosphoric acid
Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity assessment

- Oxamyl
Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.
- Cyclohexanone
Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.

Toxicity to reproduction assessment

- Oxamyl
No toxicity to reproduction Animal testing showed effects on reproduction at levels equal to or above those causing parental toxicity. No effects on or via lactation
- Cyclohexanone
No toxicity to reproduction Evidence suggests the substance is not a reproductive toxin in animals. No effects on or via lactation
- Phosphoric acid
No toxicity to reproduction Animal testing showed no reproductive toxicity. No effects on or via lactation

Assessment teratogenicity

- Oxamyl
Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

VYDATE® 100 GR

Ref. 130000000049
Version 5.1 (replaces: Version 5.0)

Revision Date 20.06.2018
Issue Date 04.03.2019

- Cyclohexanone
Animal testing showed no developmental toxicity.
- Phosphoric acid
Animal testing showed no developmental toxicity. Information given is based on data obtained from similar substances.

SECTION 12: Ecological information**12.1. Toxicity**

Toxicity to fish

static test / LC50 / 96 h / *Lepomis macrochirus* (Bluegill sunfish): 47 mg/l
Method: OECD Test Guideline 203
(Data on the product itself) Information source: Internal study report

Toxicity to aquatic plants

ErC50 / 72 h / *Pseudokirchneriella subcapitata* (green algae): 31 mg/l
Method: OECD Test Guideline 201
(Data on the product itself) Information source: Internal study report

Toxicity to aquatic invertebrates

EC50 / 48 h / *Daphnia magna* (Water flea): 3,3 mg/l
Method: OECD Test Guideline 202
(Data on the product itself) Information source: Internal study report

Chronic toxicity to fish

- Oxamyl
NOEC / 29 d / *Cyprinodon variegatus* (sheepshead minnow): 0,356 mg/l
Method: OECD Test Guideline 210

NOEC / 61 d / *Oncorhynchus mykiss* (rainbow trout): 0,77 mg/l

Early Life-Stage / NOEC / 61 d / *Oncorhynchus mykiss* (rainbow trout): 0,77 mg/l
Method: US EPA Test Guideline OPP 72-4
Information source: Internal study report

Chronic toxicity to aquatic Invertebrates

- Oxamyl
NOEC / 28 d / *Americamysis bahia* (mysid shrimp): 0,0189 mg/l

flow-through test / NOEC / 21 d / *Daphnia magna* (Water flea): 0,0268 mg/l
Method: OECD Test Guideline 202
Information source: Internal study report

12.2. Persistence and degradability

Biodegradability

**VYDATE® 100 GR**Ref. 130000000049
Version 5.1 (replaces: Version 5.0)Revision Date 20.06.2018
Issue Date 04.03.2019

Not readily biodegradable. Estimation based on data obtained on active ingredient.

12.3. Bioaccumulative potential

Bioaccumulation

Does not bioaccumulate. Estimation based on data obtained on active ingredient.

12.4. Mobility in soil

Mobility in soil

Potentially mobile, but the leaching potential is mitigated by rapid degradation.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). / This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

12.6. Other adverse effects**Additional ecological information**

No other ecological effects to be specially mentioned See product label for additional application instructions relating to environmental precautions.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Product : In accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Do not re-use empty containers.

SECTION 14: Transport information**ADR**

- 14.1. UN number: 2757
14.2. UN proper shipping name: CARBAMATE PESTICIDE, SOLID, TOXIC (Oxamyl)
14.3. Transport hazard class(es): 6.1
14.4. Packing group: II
14.5. Environmental hazards: Environmentally hazardous
- 14.6. Special precautions for user:
Tunnel restriction code: (D/E)

IATA_C

- 14.1. UN number: 2757
14.2. UN proper shipping name: Carbamate pesticide, solid, toxic (Oxamyl)


VYDATE® 100 GR

 Ref. 130000000049
 Version 5.1 (replaces: Version 5.0)

 Revision Date 20.06.2018
 Issue Date 04.03.2019

- 14.3. Transport hazard class(es): 6.1
 14.4. Packing group: II
 14.5. Environmental hazards : For further information see Section 12.
- 14.6. Special precautions for user:
 DuPont internal recommendations and transport guidance: ICAO / IATA cargo aircraft only

IMDG

- 14.1. UN number: 2757
 14.2. UN proper shipping name: Carbamate pesticide, solid, toxic (Oxamyl)
 14.3. Transport hazard class(es): 6.1
 14.4. Packing group: II
 14.5. Environmental hazards : Marine pollutant
- 14.6. Special precautions for user:
 No special precautions required.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
 Not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Major Accident Hazard Legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

ACUTE TOXIC
 Quantity: 50 t, 200 t

Other regulations :

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

SECTION 16: Other information
Text of R-phrases mentioned in Section 3

- | | |
|-----------|--|
| R10 | Flammable. |
| R20/21/22 | Harmful by inhalation, in contact with skin and if swallowed. |
| R21 | Harmful in contact with skin. |
| R22 | Harmful if swallowed. |
| R26/28 | Very toxic by inhalation and if swallowed. |
| R34 | Causes burns. |
| R37/38 | Irritating to respiratory system and skin. |
| R41 | Risk of serious damage to eyes. |
| R50/53 | Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| R67 | Vapours may cause drowsiness and dizziness. |

VYDATE® 100 GR

 Ref. 130000000049
 Version 5.1 (replaces: Version 5.0)

 Revision Date 20.06.2018
 Issue Date 04.03.2019

Full text of H-Statements referred to under section 3.

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Other information professional use

Abbreviations and acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-No.	Chemical Abstracts Service number
CLP	Classification, Labelling and Packaging
EbC50	Concentration at which 50% reduction of biomass is observed
EC50	Median effective concentration
EN	European Norm
EPA	Environmental Protection Agency
ErC50	Concentration at which a 50% inhibition of growth rate is observed
EyC50	Concentration at which 50 % inhibition of yield is observed
IATA_C	International Air Transport Association (Cargo)
IBC	International Bulk Chemical Code
ICAO	International Civil Aviation Organization
ISO	International Standard Organization
IMDG	International Maritime Dangerous Goods
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest observed effect level
MARPOL	International Convention for the Prevention of Marine Pollution from Ships
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No observed adverse effect level
NOEC	No Observed Effect Concentration
NOEL	No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
OPPTS	Office of Prevention, Pesticides and Toxic Substances
PBT	Persistent, Bioaccumulative and Toxic
STEL	Short term exposure limit
TWA	Time Weighted Average (TWA):
vPvB	very Persistent and very Bioaccumulative

Restrictions on use

**VYDATE® 100 GR**

Ref. 130000000049
Version 5.1 (replaces: Version 5.0)

Revision Date 20.06.2018
Issue Date 04.03.2019

It is forbidden to appoint minors for work exposing them to this product.

Further information

Before use read DuPont's safety information.

Take notice of the directions of use on the label.

(R) Registered trademark of E.I. du Pont de Nemours and Company

Note: The information on components provided in sections 11 and 12 of this safety data sheet may in some cases not align with a legally binding classification on the basis of technical progress and availability of new information.

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.

CONFIDENTIAL